# **Complete Summary**

#### **TITLE**

Epilepsy: the percentage of patients age 18 years and over on drug treatment for epilepsy who have been seizure free for the last 12 months recorded in the previous 15 months.

# SOURCE(S)

British Medical Association (BMA) and NHS Employers. Quality and outcomes framework guidance for GMS contract 2009/10. London (UK): British Medical Association, National Health Service Confederation; 2009 Mar. 162 p.

# **Measure Domain**

#### PRIMARY MEASURE DOMAIN

Outcome

The validity of measures depends on how they are built. By examining the key building blocks of a measure, you can assess its validity for your purpose. For more information, visit the Measure Validity page.

## **SECONDARY MEASURE DOMAIN**

Does not apply to this measure

## **Brief Abstract**

# **DESCRIPTION**

This measure is used to assess the percentage of patients age 18 years and over on drug treatment for epilepsy who have been seizure free for the last 12 months recorded in the previous 15 months.

#### **RATIONALE**

Epilepsy is the most common serious neurological condition, affecting about 5 to 10 per 1000 of the population at any one time. Few epilepsies are preventable, but appropriate clinical management can enable most people with epilepsy to lead a full and productive life. For the purposes of the Quality and Outcomes Framework (QOF), epilepsy is defined as 'recurrent unprovoked seizures.' This measure is one of four <a href="Epilepsy">Epilepsy</a> measures.

Seizure control gives some indication of how effective the management of epilepsy is. However, it is recognised that fit control is often under the influence of factors outside the general practitioner's control. It is expected that exception-reporting in the epilepsy data set will be more common than in other chronic conditions (e.g., for patients with forms of brain injury which mean that their fits cannot be controlled, patients who find the side effects of medication intolerable, etc.).

The top level of this indicator (see the "Prescriptive Standard" field in the Complete Summary) has been deliberately kept at a lower level in order to encourage general practitioners to record the frequency of convulsions as accurately as possible.

### PRIMARY CLINICAL COMPONENT

Epilepsy; drug treatment; seizure control

#### **DENOMINATOR DESCRIPTION**

Patients age 18 years and over on drug treatment for epilepsy

#### NUMERATOR DESCRIPTION

Number of patients from the denominator who have been seizure free for the last 12 months recorded in the previous 15 months

# **Evidence Supporting the Measure**

# **EVIDENCE SUPPORTING THE CRITERION OF QUALITY**

 A formal consensus procedure involving experts in relevant clinical, methodological, and organizational sciences

# **Evidence Supporting Need for the Measure**

#### **NEED FOR THE MEASURE**

Unspecified

# **State of Use of the Measure**

#### STATE OF USE

Current routine use

#### **CURRENT USE**

# **Application of Measure in its Current Use**

# **CARE SETTING**

Physician Group Practices/Clinics

## PROFESSIONALS RESPONSIBLE FOR HEALTH CARE

**Physicians** 

# LOWEST LEVEL OF HEALTH CARE DELIVERY ADDRESSED

**Group Clinical Practices** 

#### **TARGET POPULATION AGE**

Age greater than or equal to 18 years

# **TARGET POPULATION GENDER**

Either male or female

# STRATIFICATION BY VULNERABLE POPULATIONS

Unspecified

# **Characteristics of the Primary Clinical Component**

# INCIDENCE/PREVALENCE

See the "Rationale" field.

## **ASSOCIATION WITH VULNERABLE POPULATIONS**

Unspecified

## **BURDEN OF ILLNESS**

Unspecified

## **UTILIZATION**

Unspecified

## **COSTS**

Unspecified

# **Institute of Medicine National Healthcare Quality Report Categories**

#### **IOM CARE NEED**

Living with Illness

#### **IOM DOMAIN**

Effectiveness

# **Data Collection for the Measure**

#### **CASE FINDING**

Users of care only

## **DESCRIPTION OF CASE FINDING**

Patients age 18 years and over on drug treatment for epilepsy\*

\*Note: The Quality and Outcomes Framework (QOF) includes the concept of exception reporting. This has been introduced to allow practices to pursue the quality improvement agenda and not be penalised, where, for example, patients do not attend for review, or where a medication cannot be prescribed due to a contraindication or side-effect.

The following criteria have been agreed for exception reporting:

- A. patients who have been recorded as refusing to attend review who have been invited on at least three occasions during the preceding twelve months
- B. patients for whom it is not appropriate to review the chronic disease parameters due to particular circumstances, e.g., terminal illness, extreme frailty
- C. patients newly diagnosed within the practice or who have recently registered with the practice, who should have measurements made within three months and delivery of clinical standards within nine months, e.g., blood pressure or cholesterol measurements within target levels
- D. patients who are on maximum tolerated doses of medication whose levels remain suboptimal
- E. patients for whom prescribing a medication is not clinically appropriate, e.g., those who have an allergy, another contraindication or have experienced an adverse reaction
- F. where a patient has not tolerated medication
- G. where a patient does not agree to investigation or treatment (informed dissent), and this has been recorded in their medical records
- H. where the patient has a supervening condition which makes treatment of their condition inappropriate, e.g., cholesterol reduction where the patient has liver disease
- I. where an investigative service or secondary care service is unavailable

Refer to the original measure documentation for further details.

#### **DENOMINATOR SAMPLING FRAME**

Patients associated with provider

## **DENOMINATOR INCLUSIONS/EXCLUSIONS**

## **Inclusions**

Patients age 18 years and over on drug treatment for epilepsy

# **Exclusions**

See "Description of Case Finding" field for exception reporting.

# **RELATIONSHIP OF DENOMINATOR TO NUMERATOR**

All cases in the denominator are equally eligible to appear in the numerator

# **DENOMINATOR (INDEX) EVENT**

Clinical Condition
Therapeutic Intervention

#### **DENOMINATOR TIME WINDOW**

Time window is a single point in time

# **NUMERATOR INCLUSIONS/EXCLUSIONS**

#### **Inclusions**

Number of patients from the denominator who have been seizure free for the last 12 months recorded in the previous 15 months

#### **Exclusions**

Unspecified

# MEASURE RESULTS UNDER CONTROL OF HEALTH CARE PROFESSIONALS, ORGANIZATIONS AND/OR POLICYMAKERS

The measure results are somewhat or substantially under the control of the health care professionals, organizations and/or policymakers to whom the measure applies.

### **NUMERATOR TIME WINDOW**

Fixed time period

## **DATA SOURCE**

Medical record Registry data

# LEVEL OF DETERMINATION OF QUALITY

Not Individual Case

#### **OUTCOME TYPE**

Clinical Outcome

# **PRE-EXISTING INSTRUMENT USED**

Unspecified

# **Computation of the Measure**

#### **SCORING**

Rate

## **INTERPRETATION OF SCORE**

Better quality is associated with a higher score

# **ALLOWANCE FOR PATIENT FACTORS**

Unspecified

# STANDARD OF COMPARISON

External comparison at a point in time Internal time comparison Prescriptive standard

# PRESCRIPTIVE STANDARD

Payment stages: 40-70%

## **EVIDENCE FOR PRESCRIPTIVE STANDARD**

British Medical Association (BMA) and NHS Employers. Quality and outcomes framework guidance for GMS contract 2009/10. London (UK): British Medical Association, National Health Service Confederation; 2009 Mar. 162 p.

# **Evaluation of Measure Properties**

# **EXTENT OF MEASURE TESTING**

Unspecified

# **Identifying Information**

#### **ORIGINAL TITLE**

Epilepsy 8. The percentage of patients age 18 and over on drug treatment for epilepsy who have been seizure free for the last 12 months recorded in the previous 15 months.

#### **MEASURE COLLECTION**

Quality and Outcomes Framework Indicators

# **MEASURE SET NAME**

**Epilepsy** 

## **DEVELOPER**

British Medical Association National Health Service (NHS) Confederation

## **FUNDING SOURCE(S)**

The expert panel who developed the indicators were funded by the English Department of Health.

## COMPOSITION OF THE GROUP THAT DEVELOPED THE MEASURE

The main indicator development group is based in the National Primary Care Research and Development Centre in the University of Manchester. They are: Professor Helen Lester, NPCRDC, MB, BCH, MD; Dr. Stephen Campbell, NPCRDC, PhD; Dr. Umesh Chauhan, NPCRDC, MB, BS, PhD.

Others involved in the development of individual indicators are: Professor Richard Hobbs, Dr. Richard McManus, Professor Jonathan Mant, Dr. Graham Martin, Professor Richard Baker, Dr. Keri Thomas, Professor Tony Kendrick, Professor Brendan Delaney, Professor Simon De Lusignan, Dr. Jonathan Graffy, Dr. Henry Smithson, Professor Sue Wilson, Professor Claire Goodman, Dr. Terry O'Neill, Dr. Philippa Matthews, Dr. Simon Griffin, Professor Eileen Kaner.

## FINANCIAL DISCLOSURES/OTHER POTENTIAL CONFLICTS OF INTEREST

None for the main indicator development group.

## **ENDORSER**

National Health Service (NHS)

#### **ADAPTATION**

Measure was not adapted from another source.

#### **RELEASE DATE**

2004 Apr

#### **REVISION DATE**

2009 Mar

#### **MEASURE STATUS**

This is the current release of the measure.

This measure updates a previous version: British Medical Association (BMA), and NHS Employers. Quality and outcomes framework guidance for GMS contract 2008/09. London (UK): British Medical Association, National Health Service Confederation; 2008 Apr. 148 p.

## SOURCE(S)

British Medical Association (BMA) and NHS Employers. Quality and outcomes framework guidance for GMS contract 2009/10. London (UK): British Medical Association, National Health Service Confederation; 2009 Mar. 162 p.

#### **MEASURE AVAILABILITY**

The individual measure, "Epilepsy 8. The Percentage of Patients Age 18 and Over on Drug Treatment for Epilepsy Who Have Been Seizure Free for the Last 12 Months Recorded in the Previous 15 Months," is published in the "Quality and Outcomes Framework Guidance." This document is available from the <a href="https://example.com/British\_British\_Medical\_Association\_Web\_site">British\_Br

#### **NQMC STATUS**

This NQMC summary was completed by ECRI on May 22, 2006. The information was verified by the measure developer on August 11, 2006. This NQMC summary was updated by ECRI Institute on January 16, 2009. This NQMC summary was updated again by ECRI Institute on September 29, 2009. The information was verified by the measure developer on March 4, 2010.

# **COPYRIGHT STATEMENT**

No copyright restrictions apply.

## Disclaimer

## **NQMC DISCLAIMER**

The National Quality Measures Clearinghouse™ (NQMC) does not develop, produce, approve, or endorse the measures represented on this site.

All measures summarized by NQMC and hosted on our site are produced under the auspices of medical specialty societies, relevant professional associations, public and private organizations, other government agencies, health care organizations or plans, individuals, and similar entities.

Measures represented on the NQMC Web site are submitted by measure developers, and are screened solely to determine that they meet the NQMC Inclusion Criteria which may be found at

http://www.qualitymeasures.ahrq.gov/about/inclusion.aspx.

NQMC, AHRQ, and its contractor ECRI Institute make no warranties concerning the content or its reliability and/or validity of the quality measures and related materials represented on this site. The inclusion or hosting of measures in NQMC may not be used for advertising or commercial endorsement purposes.

Readers with questions regarding measure content are directed to contact the measure developer.

Copyright/Permission Requests

Date Modified: 4/5/2010

